



UNIU.S24247 Boxes, Noncoded

[Page Bottom](#)

Boxes, Noncoded

[See General Information for Boxes, Noncoded](#)

COMMERCIAL WIRELESS SYSTEMS INTERNATIONAL L L C

S24247

10798 NW 53RD ST
SUNRISE, FL 33351 USA

Model 310.

The Model 310 is a wireless pull station intended for Commercial Installations for use with Listed Control panel Model CP-3000.

Note - Model 310 has been found compliant with the requirements of the California Amendments to UL 38, issued by the California State Fire Marshall.

Trademark and/or Tradename: "CWSI"

[Last Updated](#) on 2010-04-14

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[© 2012 UL LLC](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".



UULH.S24429 Smoke Detector Monitors and Accessories

[Page Bottom](#)

Smoke Detector Monitors and Accessories

[See General Information for Smoke Detector Monitors and Accessories](#)

COMMERCIAL WIRELESS SYSTEMS INTERNATIONAL L L C

S24429

10798 NW 53RD ST
SUNRISE, FL 33351 USA

End of Line Resistor, Model TR-3.

Repeater, Model AR-3.

Relay Boxes, Models RB-10, RB-20, RB-30, RB-40.

Smoke detector monitors, Models CP-3000 and CP-3000D.

Transmitters, Models 330, 330(TS), 340, 340(TS).

Complementary Listing under Basic U0JZ.

[Last Updated](#) on 2011-12-27

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".



UROX.S24249 Smoke-automatic Fire Detectors

[Page Bottom](#)

Smoke-automatic Fire Detectors

[See General Information for Smoke-automatic Fire Detectors](#)**COMMERCIAL WIRELESS SYSTEMS INTERNATIONAL L L C**

S24249

10798 NW 53RD ST
SUNRISE, FL 33351 USA

Detector	Application	Type	Compatibility Restrictions	Velocity Range (fpm)	
				Min	Max
Model 300	OAP	P(RF)	D1, *8, *10, *11	0	300
Model 301	OAP	P(RF)	D1, *8, *9, *10, *11	0	300
Model 302	OAP	P(RF)	D1, *8, *11	0	300

D1 - Listing limited to specific system control unit. Information on compatible control unit indicated on installation drawing of control unit and/or detector.

*10 - Includes Integral Audible Signal

*11 - Used only with FACP Model CP-3000 with a receiver Model 1100X 330.

*8 - Intended for Commercial WireLess Listed wireless receiver, Model 1100 330.

*9 - Tandem horn feature allows control panel Model CP-3000 to turn on the horn of other zoned Model 301 smoke detectors.

OAP - Open Area Protection

P - Photoelectric

RF - Includes Integral Radio Frequency Transmitter

Last Updated on 2010-11-08

[Questions?](#)[Print this page](#)[Notice of Disclaimer](#)[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".



UOXX.S24909 Control Unit Accessories, System

[Page Bottom](#)

Control Unit Accessories, System

[See General Information for Control Unit Accessories, System](#)

COMMERCIAL WIRELESS SYSTEMS INTERNATIONAL L L C

S24909

10798 NW 53RD ST
SUNRISE, FL 33351 USA

End of Line Resistor, Model(s) TR-3

Relay Box, Model(s) RB-10, RB-20, RB-30, RB-40

Repeater, Model(s) AR-3

Transmitters, Model(s) 330, 330(TS), 340, 340(TS)

[Last Updated](#) on 2010-11-23

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".



UOJZ.S24429 Control Units, System

[Page Bottom](#)

Control Units, System

[See General Information for Control Units, System](#)**COMMERCIAL WIRELESS SYSTEMS INTERNATIONAL L L C**

S24429

10798 NW 53RD ST
SUNRISE, FL 33351 USA

Model	Type	Type Service	Type Signaling
CP-3000	L	A, M, SS, WF	1W_RF, NC
	AUX	A, M, WF	-
	RS (PPU)	A, M, SS, WF	DAC
	CS (PPU)	A, M, SS, WF	DAC
	AUX	A, M, WF	NC
CP-3000D	L	A, M, SS, WF	1W_RF, NC
	AUX	A, M, WF	-
	RS (PPU)	A, M, SS, WF	DAC
	CS (PPU)	A, M, SS, WF	DAC

L - Local System Type

A - Automatic fire alarm: Thermostats, smoke detectors, etc.

M - Manual fire alarm: Manually-operated boxes

SS - Sprinkler Supervisory: Gate valves, water-level switches, temperature switches, carbon monoxide detectors, residential fire alarm control units, etc.

WF - Waterflow alarm: Waterflow switches

1W_RF - Radio Frequency (one-way private radio)

NC - Noncoded

AUX - Auxiliary System Type

RS (PPU) - Remote Station System Type (Protected Premises Unit)

DAC - Digital Alarm Communicator

CS (PPU) - Central Station System Type (Protected Premises Unit)

[Last Updated](#) on 2011-12-22[Questions?](#)[Print this page](#)[Notice of Disclaimer](#)[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of

the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".